2022 STAAR Biology Rationales

Item #	Rationale	
1	Option A is correct	According to the dichotomous key, squids move by jet propulsion and do not have an external shell.
	Option B is incorrect	According to the dichotomous key, slugs move by crawling with a singular muscular foot.
	Option C is incorrect	According to the dichotomous key, nautilus move by jet propulsion, but they do have an external shell.
	Option D is incorrect	According to the dichotomous key, snails move by crawling with a singular muscular foot and have an external shell.



2022 STAAR Biology Rationales

Item #	Rationale	

2022 STAAR Biology Rationales

Item #	Rationale	
7	Option D is correct	This response of the shoot system benefits the plant by providing added support for the plant to grow and allowing the plant to put more energy into growing toward sunlight to perform photosynthesis.
	Option A is incorrect	Growing upward will not cause the plant to produce more pollen for pollinators.
	Option B is incorrect	Plants can absorb carbon dioxide at any height.
	Option C is incorrect	Plants absorb water through the roots, not the shoot system.

2022 STAAR Biology Rationales

Item #	Rationale	
8	Option H is correct	The chemicals produced by both the white clovers and skunk cabbages are adaptations that deter animals from eating them, and thus increase their chances of survival.
	Option F is incorrect	These adaptations do not allow the plants to attract more pollinators; however, they do allow the plants to attract specific pollinators.
	Option G is incorrect	These adaptations do not allow the plants to survive a long-term drought because they are not related to the plants' ability to retain water.
	Option J is incorrect	These adaptations do not allow the plants to grow better in colder habitats because they are not related to the plants' ability to grow in colder temperatures.

2022 STAAR Biology Rationales

Item #	Rationale	
9	Option A is correct	The albino allele (c) is recessive to all other alleles, so expression of the albino phenotype requires two copies of the allele. This option is the only option where two albino alleles would result.
	Option B is incorrect	The chinchilla parent (c c) is not carrying the recessive albino allele. Their offspring would be chinchilla and Himalayan.
	Option C is incorrect	Neither parent is carrying the recessive albino allele. Their offspring would be black and chinchilla.
	Option D is incorrect	Neither parent is carrying the recessive albino allele. Their offspring would be chinchilla and Himalayan.

2022 STAAR Biology Rationales

Item #	Rationale	
10	Option J is correct	The genes that are expressed are directly responsible for the function of a cell.
	Option F is incorrect	The size of a cell can change depending on the environment, but it does not determine the type of cell that the daughter cell becomes.
	Option G is incorrect	The length of the cell cycle depends on the type of cell that the daughter cell becomes, which is determined by the genes that are expressed.
	Option H is incorrect	All chromosomes within a cell are replicated.

2022 STAAR Biology Rationales

Item #	Rationale	
12	Option F is correct	During Stage II, the cells have replicated their DNA, but have not completed mitosis and cytokinesis. Therefore, the mass of DNA is double the mass of the DNA in stages I and III.
	Option G is incorrect	These cells have half the mass of DNA as in stages I and III because DNA did not replicate.
	Option H is incorrect	These cells have the same mass of DNA as seen in stages I and III.
	Option J is incorrect	These cells are in the G phase and have the same mass of DNA as in stages I and III.

2022 STAAR Biology Rationales

Item #	Rationale	
13	Option B is correct	Adaptations (like the ability to change skin color to hide from predators) are beneficial traits that are passed down from parent to offspring that help organisms survive and reproduce.
	Option A is incorrect	Adaptations are beneficial traits acquired through natural selection that occur as a result of random mutation. Artificial selection is the intentional breeding of organisms with established adaptations.
	Option C is incorrect	Geographic isolation would not prevent genetic mutation. Mutations occur randomly and are not related to geographic isolation of an organism.
	Option D is incorrect	The adaptation is a result of a genetic trait that the green anole lizard potio-3 (i)Iqan1rrzt

2022 STAAR Biology Rationales

Item #	Rationale	
14	Option H is correct	Active transport requires cellular energy, which is supplied by ATP.
	Option F is incorrect	Passive transport does not require energy from ATP.
	Option G is incorrect	Simple diffusion is a type of passive transport and does not require energy from ATP.
	Option J is incorrect	Osmosis is a type of passive transport and does not require energy from ATrom ATro

2022 STAAR Biology Rationales

Item #	Rationale	
19	Option D is correct	Petals attract pollinators, pollinators deposit pollen on the stigma, and the pollen grain must grow and fuse with an ovule to complete fertilization.
	Option A is incorrect	Filaments do not attract pollinators.
	Option B is incorrect	Pollinators do not deposit pollen onto the ovule.
	Option C is incorrect	Filaments do not attract pollinators.

2022 STAAR Biology Rationales

Item #	Rationale	
21	Option A is correct	The organization of the genetic material is the best characteristic to distinguish these cells as either prokaryotic or eukaryotic.
	Option B is incorrect	The location of the cytoplasm is the same in prokaryotic and eukaryotic cells. The cytoplasm is a gel-like fluid found in all cells.
	Option C is incorrect	The role of the cell membrane is the same in prokaryotic and eukaryotic cells. The cell membrane allows molecules to enter and leave cells.
	Option D is incorrect	The -2tht T017 Tc 8. (i)-3 (on TJ-0g)-5 (e)-3 (r JEMCEMC /TD <rB DCoH5 <rB 0g80CEMC (a)1 (n)1 (e)a)1 t0

2022 STAAR Biology Rationales

Item #	Rationale	
22	Option J is correct	Sweat glands are part of the excretory system that is located within the integumentary system. When body temperature increases, the glands release sweat, and body temperature decreases.
	Option F is incorrect	The heart and blood vessels are part of the circulatory system.
	Option G is incorrect	Blood vessels and platelets are part of the circulatory system.
	Option H is incorrect	The pancreas and blood sugar levels are controlled by the digestive and endocrine systems.

2022 STAAR Biology Rationales

Item #	Rationale	
23	Option D is correct	All organisms are composed of the same nucleotide bases.
	Option A is incorrect	Trees, cats, and amoebas are all eukaryotic organisms.
	Option B is incorrect	Trees, cats, and amoebas are each classified in a different kingdom.
	Option C is incorrect	The number of genes varies among organisms and species.



2022 STAAR Biology Rationales

Item #	Rationale	
25	Option A is correct	Organisms in the Animalia, Protista, and Fungi kingdoms are all part of the domain Eukarya because their cells' DNA is located inside of a nucleus.
	Option B is incorrect	All organisms in the Animalia, Protista, and Fungi kingdoms are eukaryotic.
	Option C is incorrect	Some organisms in the Protista and Fungi kingdoms are multicellular, and all animals are multicellular.
	Option D is incorrect	Some organisms in the Protista and Fungi kingdoms are unicellular.

2022 STAAR Biology Rationales

Item #	Rationale	
26	Option J is correct	Mitochondria produce energy for cells. The increase in the consumption of oxygen between 5 and 10 minutes is due to mitochondria using oxygen to produce ATP.
	Option F is incorrect	Nuclei are organelles that store genetic material, and amino acids are made in the cytoplasm of the cell. Amino acids are monomers of proteins, which are not molecules that store energy.
	Option G is incorrect	Ribosomes do not build carbohydd9ros thct 6/09D K7.s(t)-3 (h)-2 (e)-2 (ene(h)-2 ouos)-3puos acarbohydor Ribosomes 8o not buiieelaci7(c)-2 (duc Tdr)-8 (o)-1Tc 24.4D[mi)he26 Tc -38.013C /TH b9895

2022 STAAR Biology Rationales

Item #	Rationale	
27	Option A is correct	Under the Linnaean classification system, the lower the level of classification shared by organisms, the more closely related the organisms are. Family is the classification level directly above genus. The elk and the fallow deer are both members of the family Cervidae. The peccary and the pronghorn are members of different families (Tayassuidae and Antilocapridae, respectively).
	Option B is incorrect	Elk and fallow deer are different species, so they are not able to mate and produce fertile offspring. The definition of a species is having the ability to mate and produce fertile offspring.
	Option C is incorrect	Living in similar habitats would not lead to classifying these organisms in the same genus. Distantly related organisms can share similar habitats.
	Option D is incorrect	All the organisms in the table are in the kingdom Animalia, not just the elk and the fallow deer. Also, distantly related animals living in similar environments can share similar diets.

2022 STAAR

2022 STAAR Biology Rationales

Item #	Rationale	
30	Option G is correct	When two heterozygous dogs are crossed, the percentage of the offspring that are expected to be homozygous for smooth hair will be 25%. In a Punnett square, Hh Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair).
	Option F is incorrect	In a Punnett square, Hh Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Zero percent is not an option.
	Option H is incorrect	In a Punnett square, Hh Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Therefore, 50 percent of the population will have a heterozygous genotype for wirehair.
	Option J is incorrect	In a Punnett square, Hh Hh will result in 25% HH (homozygous wirehair), 50% Hh (heterozygous wirehair), and 25% hh (smooth hair). Therefore, 75 percent of the population will have wirehair.

2022 STAAR Biology Rationales

Item #	Rationale	
31	Option B is correct	Proteins in the form of enzymes catalyze chemical reactions inside the cell. Lipids make up the cell membrane, which allows certain molecules to be transported into and out of the cell.
	Option A is incorrect	Proteins in the form of enzymes, not lipids, catalyze chemical reactions in the cell.
	Option C is incorrect	Lipids store energy, not genetic information, for the cell.
	Option D is incorrect	Nucleic acids, not proteins, store genetic information.

2022 STAAR Biology Rationales

Item #	Rationale	
32	Option H is correct	Sample 3 is a virus due to the absence of organelles and the presence of a small genome.
	Option F is incorrect	Sample 1 is a plant due to the presence of a chloroplast.
	Option G is incorrect	Sample 2 is bacteria due to the absence of both a nucleus and a chloroplast.
	Option J is incorrect	Sample 4 is an animal due to the presence of a nucleus and ribosome and the absence of a chloroplast.

2022 STAAR Biology Rationales

Item #	Rationale	
33	Option B is correct	The microorganisms found in the body are important in promoting a healthy immune system because they keep the immune system strong, aid in digestion, and neutralize toxins.
	Option A is incorrect	Microorganisms are not harmful to the body; they (s)-3 (m)1 (s)-7 he y; they (s)-3 (m)1 (s)-7 he hosmn3 BDC -

2022 STAAR Biology Rationales

Item #	Rationale	
35	Option B is correct	The stages of mitosis (prophase, metaphase, anaphase, and telophase) are in the correct sequence based on the model shown.
	Option A is incorrect	DNA must line up in the middle of the cell before it can divide evenly.
	Option C is incorrect	During mitosis, one cell becomes two cells.
	Option D is incorrect	DNA must condense into visible chromosomes before it can line up in the middle of the cell.

2022 STAAR Biology Rationales

Item #	Rationale	
36	Option H is correct	Stone crabs consume gulf pipefish, and gulf pipefish consume aquatic plants.
	Option F is incorrect	Canadian geese do not consume silverside fish.
	Option G is incorrect	Aquatic plants are the producers for this energy pyramid, so aquatic plants should be located at the bottom of the energy pyramid.
	Option J is incorrect	Aquatic plants are the producers for this energy pyramid, so aquatic plants should be located at the bottom of the energy pyramid.

2022 STAAR Biology Rationales

Item #	Rationale	
37	Option A is correct	Contact inhibition is a mechanism that stops the cell cycle and prevents cells from performing replication/proliferation and growth. The cells in an organism that lack contact inhibition will continue to replicate/proliferate and grow, and potentially lead to the development of tumors.
	Option B is incorrect	Cells replicate normally, replacing body cells that die, when normal contact inhibition mechanisms are functioning correctly.
	Option C is incorrect	Cell replication is not based on the availability of food.
	Option D is incorrect	Cells do stop replicating when normal contact inhibition mechanisms are functioning correctly.

2022 STAAR Biology Rationales

Item #	Rationale	
39	Option C is correct	The theory of punctuated equilibrium, devised by Niles Eldredge and Stephen Jay Gould, is characterized by periods of slow change interrupted by periods of rapid change with few transitional fossils in the fossil record.
	Option A is incorrect	Charles Darwin's theory of natural selection proposed that evolution was a "steady, slow and continuous" process unlike punctuated equilibrium, which suggests periods of both slow and rapid change.
	Option B is incorrect	Genetic drift explains how gene frequencies change by chance.
	Option D is incorrect	Gene flow is the movement of genetic material from one population to another.



2022 STAAR Biology Rationales

Item #	Rationale	
41	Option B is correct	Location 2 is the branch point on the phylogenetic tree that identifies characteristics shared by Species B, C, and D.
	Option A is incorrect	Location 1 is the branch point that led to all lineages on this phylogenetic tree.
	Option C is incorrect	Location 3 is the branch point that led to all species on the phylogenetic tree except for Species A.
	Option D is incorrect	Location 4 is the branch point that led to Species E and F on the phylogenetic tree.

2022 STAAR Biology Rationales

Item #	Rationale	
42	Option J is correct	The circulatory system transports blood to and from the heart and the rest of the body. Nutrients and gases, such as oxygen, are dissolved in the blood. The circulatory system must interact with the respiratory and digestive systems to transport the nutrients and gases in the blood throughout the body.
	Option F is incorrect	The endocrine system is comprised of hormones that regulate body processes, such as metabolism and growth.
	Option G is incorrect	The integumentary system is comprised of the outer layer of the body, including skin, nails, hair, and exocrine glands.
	Option H is incorrect	The immune system is comprised of a variety of cells and organs to protect organisms from pathogens.

2022 STAAR Biology Rationales

Item #	Rationale	
43	Option A is correct	Gene flow describes the transfer of genetic material from one population to another population. Cross-pollination of flowering plants from different populations of the same species will most likely result in a greater number of genetic combinations and an overall increase in the genetic diversity/variation within the species.
	Option B is incorrect	Evolution is due to environmental demands and natural selection over time.
	Option C is incorrect	Since the flowers are of the same species, the gametes would be compatible.
	Option D is incorrect	Cross-pollination will increase genetic variation.

2022 STAAR Biology Rationales

Item #	Rationale	
44	Option H is correct	After a wheat field is cleared, wild grasses and weeds begin growing due to secondary succession, since soil is already present. Primary succession can only occur in areas where life was not previously present e.g., newly formed volcanic rock.
	Option F is incorrect	Primary succession occurs when there is a lack of soil. Pioneer species such as lichen must make new soil before secondary succession can begin.
	Option G is incorrect	Primary succession occurs when there is a lack of soil, not a lack of large trees. Pioneer species such as lichen must make new soil before secondary succession can begin.
	Option J is incorrect	Soil is needed for secondary succession to occur; however, inorganic matter such as water is a necessary

2022 STAAR Biology Rationales

Item #	Rationale	
45	Option D is correct	

2022 STAAR Biology Rationales

Item #	Rationale	
47	Option D is correct	The roots take in/absorb water from the ground, and the leaves produce sugar through the process of photosynthesis. Water and carbon dioxide are the reactants of photosynthesis.

2022 STAAR Biology Rationales

Item #	Rationale	
50	Option F is correct	The order of cell, tissue, organ, and organ system represents the smallest to largest levels of cellular organization.
	Option G is incorrect	This order is reversed from largest to smallest levels of organization. Cells form tissues, tissues form organs, and organs form organ systems.
	Option H is incorrect	Cells must form before they can be organized into tissues, organs, and organ systems.
	Option J is incorrect	Cells organize to form tissue before organs and organ systems can form.