Item #	Rationale	
1	Option A is correct	To determine which inequality (a number sentence in which an inequality symbol such as > [greater than] or < [less than] indicates that two quantities are not equal) or equation (a number sentence in which an equal sign [=], indicates that the two sides have an . ET 5 (b)84.23 6 - sized parts in the whole, so $\frac{6}{8}$ has four equal-sized parts and $\frac{6}{\cdot}$ has six equal-sized parts. A fraction that represents 2 out of 4 equal-sized parts of a whole is greater than a fraction that represents 2 out of 6 equal-sized parts of a whole; therefore, $\frac{6}{8}$ is greater than $\frac{6}{\cdot}$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly
	Option B is incorrect	The student likely looked only at the numerators of the two fractions, which are both equal to 2, recognized that they were the same, and so considered the fractions to be equal without determining whether the denominators were the same. The student needs to focus on comparing the denominators of fractions to determine whether the fractions are equal when the numerators are the same.
	Option C is incorrect	The student likely looked only at the numerators of the two fractions, which are both equal to 2, recognized that they were the same, and then recognized that the denominators were different and therefore needed to be compared. The student may not have considered that the denominator indicates the number of equal-sized parts in the whole, may have recognized that 6 is greater than 4, and so may have determined that $\frac{6}{\cdot}$ is greater than $\frac{6}{8}$. The student needs to focus on comparing the denominators of fractions to determine whether the fractions are equal when the numerators are the same.
	Option D is incorrect	The student likely looked only at the numerators of the two fractions, which are both equal to 2, recognized that they were the same, and then recognized that the denominators were different and therefore needed to be compared. The student may not have considered that the denominator indicates the number of equal-sized parts in the whole, may have recognized that 3 is less than 8, and so may have determined that $\frac{6}{7}$ is less than $\frac{6}{<}$. The student needs to focus on comparing the denominators of fractions to determine whether the fractions are eq when the numerators are the same.

Item #	Rationale	
2	Option D is correct	To determine the number of bags Lupita needs, the student should have realized that the candy needed to be divided equally into bags. The student could have calculated that Lupita has to put 2 pieces of the 26 pieces of candy into each of 13 bags in order to use all the candy, because $26 \div 2 = 13$. The student could have also crossed off 2 pieces of candy in the picture until there were no pieces of candy remaining and counted the number of times that had to be done, 13. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly
	Option A is incorrect	The student likely did not recognize that the 26 pieces of candy need to be divided equally into bags and chose the number of pieces of candy, 2, that were to go in each bag. The student needs to focus on determining the correct steps and calculations to solve a word problem

Item #	Rationale
4	Option B is correct. To determine the model that can be used to find the number of magnets attached to each cabinet, the student should have recognized

Item #	Rationale	
6	Option B is correct	To determine the measurement closest to the amount of juice in a f juice box, the student could have compared the size of the juice box the tray and to the other items on the tray. The student could have thought about the relative amount for each option, recognizing that 2 milliliters would only be a tiny drop of the juice, liters would be as much as a large bottle of soda, and 200 liters would be as much as a large fish tank; therefore, 200 milliliters is the most reasonable estimate. This is an efficient way to solve the problem; however, ot methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely chose 2 milliliters because milliliters are small units of liquid but did not consider the size of the juice box compared to th other items in the picture. The student needs to focus on determining the relative volume of objects
	Option C is incorrect	The student likely chose 2 liters, focusing only on the 2 instead of recognizing the size of the units. The student may have realized that 2 milliliters was too small a volume, making 2 liters seem like the most reasonable estimate. The student needs to focus on determining t relative volume of objects.
	Option D is incorrect	The student likely confused liters with milliliters. The student needs focus on understanding the scale of the metric system.

2023STAAR Grade 3 Math Rationales

Item #	Rationale

Item #	Rationale	
8	Option B is correct	To determine which statement is true, the student could have understood that polygons are two-dimensional, closed figures in which all sides are line segments. The student likely understood that only the first figure has four sides with two sets of parallel sides and is therefore a parallelogram, that only the second and fourth figures have equal side lengths, and that none of the figures are prisms (which are three-dimensional).
	Option A is incorrect	The student likely considered only the first figure in the group, a rectangle, which is a parallelogram since it has four sides with two sets of parallel lines. The student needs to focus on examining each figur a set.
	Option C is incorrect	The student likely considered only the second and fourth figures in the group (the hexagon and the triangle, which both have sides of equal length). The student needs to focus on examining each figure in a s
	Option D is incorrect	The student likely confused prisms with polygons. The student needs focus on understanding the definitions of geometric figures.

Item #	Rationale
9	Option B is correct. To determine how many yards of fabric Ms. Green started with, the student could have recognized that the total number of yards of fabr she started with would be equal to the sum (the ret.04.74 Td.86 32p4

2023STAAR Grade 3 Math Rationales

Item #	Rationale	
10	Option C is correct	To determine which statement is true about the number 510, the student should have recognized that the number ends in a zero. Numbers that end with 0, 2, 4, 6, or 8 are even numbers because the digits can be divided by 2 evenly.
	Option A is incorrect	The student likely recognized that when the digits in the number 510 are added (5 + 1 + 0) the result is a number that can be evenly divided by 3, an odd number. The student needs to focus on understanding divisibility rules and how they are used to determine whether a number is even or odd.
	Option B is incorrect	The student likely identified the first digit as an odd number and considered the entire number to be odd. The student needs to focus the difference between even and odd numbers and on which place value determines whether a number is even or odd.
	Option D is incorrect	The student recognized 510 as an even number because it can be divided by 2 evenly but did not understand that the digit in the tens place does not affect whether a number is odd or even. The student also likely confused even and odd numbers. The student needs to focus on the difference between even and odd numbers and on which place value determines whether a number is even or odd.

Item #	Rationale
12 plus, 1	To determine the correct choices from the drop-down menus (the answer choices), the students should have used the table to determine the relationship between the numbers in the "Items Ordered" ń

Item #	Rationale
13	Option D is correct. To determine which list contains only numbers between 5,090 and 6,300, the student should have determined that 5,746 is between 5,090 and 6,300 because the digit in the hundreds place, 7, is greater than the 0 in the hundreds place.

Item #	Rationale
14	Option A is correct To determine the area of the

Item #	Rationale	
15	Option B is correct	To determine the greatest number of birds Martin can add to his cag the student could have recognized that the greatest number of birds could be determined by multiplying the number of cages, by 11 the number of birds each cage can hold, and 7, then subtracting 21 from the product (the result of multiplying numbers), creating the equation $(11 \times 7) - 21 = 77 - 21 = 56$. This is an efficient way to solve the proble however, other methods could be used to solve the problem correct
	Option A is incorrect	The student likely recognized that the number of cages multiplied by number of birds a cage can hold is 77 but added the 21 birds in cages instead of subtracting them, resulting in (11 × 7) + 21 = 98. The student needs to focus on understanding the correct operations to use in a word problem.
	Option C is incorrect	The student likely subtracted 7 from 11 instead of multiplying, resultir in 21 – (11 – 7) = 17. The student needs to focus on understanding the correct operations to use in correct o

Item #	Rationale
16	7 and any equivalent values are correct To determine how many of the shapes are polygons with more than three sides, the student should have remembered that a polygon is defined as a two-dimensional, closed figure in which all sides are line segments. Therefore, the student could eliminate any of the figures that are not made of all line segments. Then the student could have eliminated any of the remaining polygons if they only had 3 sides, leaving 7 polygons: the third and fourth polygons in the top row, the second and third polygons in the middle row, and all three polygons in the bottom row.

Item #	Rationale	
17	Option A is correct	To determine how many more T-shirts were sold than sweatshirts, the student could have subtracted the number of sweatshirts sold, 88, fro the number of T-shirts sold, 107, resulting in the equation 107 – 88 = 19. This is an efficient way to solve the problem; however, other metho could be used to solve the problem correctly.
	Option B is incorrect	The student likely subtracted the number of sweatshirts sold, 88, fron the number of T-shirts sold, 107, but made an error (changing the 0 to 10 instead of 9) when regrouping in the tens place, resulting in 29. The student needs to focus on accurately solving one- and two-step problems with subtraction.
	Option C is incorrect	The student likely004 (ac)10.996 (e)]TJ ET Q q 213.05 5Q2 q 113.5

Item #	Rationale	
18	$\frac{7}{:}$, $\frac{5}{6}$, are exactly halfway between zero and 1	To determine what is true about point U, the student should have recognized that the intervals on the number line represent sixths because there are 6 tick marks after the zero, making sixths the denominator (bottom number of a fraction) or the number of parts in the whole. Then the student should have counted to find that point U is plotted 3 tick marks from zero, making the numerator (top number of a fraction) 3. Therefore, point U represents $\frac{7}{:}$, the correct answer to the first drop-down menu (answer choices vary). Next, the student should have simplified $\frac{7}{:}$ (divided the numerator and the denominator by the same number) to determine that point U also represents the fraction $\frac{5}{6}$, the correct answer to the second drop-down menu. Finally, the student should have determined why $\frac{7}{:}$ and $\frac{5}{6}$ are equal, which is the answer to the third drop-down menu. The two fractions are equal because they both "are exactly halfway between zero and 1."

Item #	Rationale
19	multiply, 6	To determine the correct choices from the drop-down menus (the answer choices), the student should have used the table to determine the relationship between the numbers in the "Number

2023

Item #	Rationale	
21	Option A is correct	To determine the width of the garden, the student should have recognized that the perimeter of the rectangular garden, 26 feet, is the distance around the garden. The student then could have recognized that a rectangle has two pairs of parallel sides (lines that are an equal distance apart and never meet), so one pair of opposite sides of the rectangle represent the length of the garden, 8 feet the other pair of opposite sides represent the width of the garden. Then the student could have added 8 + 8 = 16 to get the total length of the two given sides and subtracted that sum from the perimeter

Item #		Rationale
22	6, 12, 9	To determine the height of the bar for each type of science report, th student should have used the numbers in the table to find that Rocks = 6, Animals = 12, and Oceans = 9. Next, the student should ha.46

Item #	Rationale
23	Option C is correct. To determine which answer choice is NOT a way Hayley could divide and shade a circle to represent a fraction less than

2023STAAR Grade 3 Math Rationales

Item #

2023STAAR Grade 3 Math Rationales

Item #	Rationale

2023STAAR Grade 3 Math Rationales

2023STAAR Grade 3 Math Rationales

Item #	Rationale	
30	Option B is correct	To determine which two models are shaded to show equivalent fractions, the student should have recognized that the models have the same-sized whole divided into different numbers of parts, and then looked at each model to find the two that have the same amount of the model shaded. Finally, the student could have confirmed that the fractions shaded are equivalent by recognizing that Model X has 2 parts out of 4 shaded, or $\frac{6}{8}$, and Model Z has 4 parts out of 8 shaded, or $\frac{8}{12}$, and that when those fractions are simplified, they both have a value of $\frac{5}{6}$. This is an efficient way to solve the problem; however, other methods could be used to solve the problem correctly.
	Option A is incorrect	The student likely determined that Model W and Model X are equivalent because they both have 2 parts out of the whole shaded. The student needs to focus on understanding that both the numerator (number of parts shaded) and the denominator (number of parts in the whole) must be considered when finding equivalent fractions.
	Option C is incorrect	The student likely determined that Model W and Model Z are equivalent because they both have 8 equal-sized parts. The student needs to focus on understanding that both the numerator and the denominator must be considered when finding equivalent fractions.

Option de o q 1133.64